



(12) **United States Design Patent**
Souvay et al.

(10) **Patent No.:** **US D693,500 S**
(45) **Date of Patent:** **** Nov. 12, 2013**

- (54) **LED (LIGHT EMITTING DIODE) PROJECTION FIXTURE**
- (75) Inventors: **Francois-Xavier Souvay**, Montreal (CA); **Yvan Hamel**, Laval (CA)
- (73) Assignee: **Lumenpulse Lighting, Inc.** (CA)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/364,900**
- (22) Filed: **Jun. 30, 2010**

- (51) **LOC (9) Cl.** **26-05**
- (52) **U.S. Cl.**
USPC **D26/51; D26/44; D26/61**
- (58) **Field of Classification Search**
USPC D26/1, 24, 67, 93-94, 101, 104-110, D26/113, 37, 38, 39, 46, 49, 51, 61, 63; 362/3, 153, 186, 217, 255, 277, 317, 362/351, 362, 363, 382, 431, 433, 458, 806
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS

D75,094 S *	5/1928	Bissell	D26/63
D208,877 S *	10/1967	MacLeod, Jr.	D26/63
D225,262 S *	11/1972	Houplain	D26/65
D307,060 S *	4/1990	Fraser	D26/88
D312,140 S *	11/1990	Jonsson	D26/63
D354,558 S *	1/1995	Marvin et al.	D23/411
D360,961 S *	8/1995	Czerlanis et al.	D26/67
D360,963 S *	8/1995	Czerlanis et al.	D26/67
5,720,543 A *	2/1998	Sheps	362/196
D417,024 S *	11/1999	Stuyfzand	D26/63
D437,441 S *	2/2001	Shoemaker et al.	D26/63
D548,868 S *	8/2007	Roberge et al.	D26/63
D598,595 S *	8/2009	Levine	D26/63
D617,930 S *	6/2010	Chen	D26/63
D629,547 S *	12/2010	Salm	D26/63
D640,815 S *	6/2011	Yamada et al.	D26/63
D645,593 S *	9/2011	Janssen	D26/63
D645,596 S *	9/2011	Yamada	D26/63
D651,733 S *	1/2012	Becker	D26/63

* cited by examiner

Primary Examiner — Ian Simmons
Assistant Examiner — Carissa C Fitts
(74) *Attorney, Agent, or Firm* — Pierce Atwood LLP; Joseph M. Maraia

(57) **CLAIM**

The ornamental design for a LED projection fixture, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of an embodiment of an LED projection fixture;

FIG. 2 is a top plan view of the LED projection fixture of FIG. 1;

FIG. 3 is a bottom plan view of the LED projection fixture of FIG. 1;

FIG. 4 is a right side elevational view of the LED projection fixture of FIG. 1, the left side elevational view being a mirror image thereof;

FIG. 5 is a rear perspective view of the LED projection fixture of FIG. 1;

FIG. 6 is a top, front, right side perspective view of the LED projection fixture of FIG. 1;

FIG. 7 is a top, rear, right side perspective view of the LED projection fixture of FIG. 1;

FIG. 8 is a front elevational view of another embodiment of the LED projection fixture embodying our new design;

FIG. 9 is a top plan view of FIG. 8;

FIG. 10 is a bottom plan view of FIG. 8;


FIG. 11 is a right side elevational view of FIG. 8, the left side elevational view being a mirror image thereof;

FIG. 12 is a rear perspective view of FIG. 8;

FIG. 13 is a top, front, right side perspective view of FIG. 8; and,

FIG. 14 is a top, rear, right side perspective view of FIG. 8. The broken lines shown are included for the purpose of illustrating environmental structure and form no part of the claimed design. None of the broken lines form any part of the claimed design. Patentability is based only on those portions of the article that are shown in solid lines.

1 Claim, 11 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14